

B. AMENDMENTS TO THE CLAIMS

1. (Original) A method of translating strings included in management definition data, said method comprising:
locating one or more display strings within a management definition data file;
copying each of the display strings from the management definition data file;
determining an identifier for each of the display strings;
writing the identifiers and the corresponding display strings to a translation template; and
writing the identifier to the management definition data file.
2. (Original) The method as described in claim 1 further comprising:
translating the display strings written to the translation template to one or more national languages; and
generating runtime files, the runtime files including the translated display strings.
3. (Original) The method as described in claim 2 further comprising:
selecting a language from the one or more national languages;
invoking at least one of the runtime files; and
displaying the translated display strings corresponding to the selected language in response to the invoking.

4. (Original) The method as described in claim 2 further comprising:
reading a plug-in code file, wherein the plug-in code file
is adapted to interface with a management console;
creating a resource bundle in response to determining that
the management console supports resource bundles; and
writing translated display strings for a plurality of
national languages to the resource bundle.
5. (Original) The method as described in claim 2 further comprising:
reading a plug-in code file, wherein the plug-in code file
is adapted to interface with a management console;
creating a plurality of runtime files, each of the runtime
files corresponding to one of the national languages;
and
writing the translated display strings for each national
language to one of the runtime files.
6. (Original) The method as described in claim 1 wherein the
management definition data file includes a common
information model managed object format file.
7. (Original) The method as described in claim 1 wherein at
least one of the display strings is selected from the group
consisting of a qualifier value, a display panel object, an
element name, a menu item name, and a tree node name.
8. (Original) An information handling system comprising:
one or more processors;
a memory accessible by the processors;

a nonvolatile storage area accessible by the processors;
and
a translation tool for translating strings from a
management definition file stored on the nonvolatile
storage device, the translation tool including:
search logic for locating one or more display strings
within the management definition file;
transfer logic for copying each of the display strings
from the management definition file;
identifier generation logic for determining an
identifier for each of the display strings;
output logic for writing the identifiers and the
corresponding display strings to a translation
template; and
output logic for writing the identifier to the
management definition data file.

9. (Original) The information handling system as described in claim 8 further comprising:
translation logic for translating the display strings
written to the translation template to one or more
national languages; and
file generation logic for generating runtime files, the
runtime files including the translated display
strings.
10. (Original) The information handling system as described in claim 9 further comprising:
selection logic for selecting a language from the one or
more national languages;

dispatch logic for invoking at least one of the runtime files; and
display logic for displaying the translated display strings corresponding to the selected language in response to the invoking.

11. (Original) The information handling system as described in claim 9 further comprising:
input logic for reading a plug-in code file, wherein the plug-in code file is adapted to interface with a management console;
output logic for creating a resource bundle in response to determining that the management console supports resource bundles; and
output logic for writing translated display strings for a plurality of national languages to the resource bundle.
12. (Original) The information handling system as described in claim 9 further comprising:
input logic for reading a plug-in code file, wherein the plug-in code file is adapted to interface with a management console;
output logic for creating a plurality of runtime files, each of the runtime files corresponding to one of the national languages; and
output logic for writing the translated display strings for each national language to one of the runtime files.

13. (Original) The information handling system as described in claim 8 wherein the management definition file includes a common information model managed object format file.
14. (Original) The information handling system as described in claim 8 wherein at least one of the display strings is selected from the group consisting of a qualifier value, a display panel object, an element name, a menu item name, and a tree node name.
15. (Original) A computer program product stored on a computer operable medium for translating strings included in management definition data, said computer program product comprising:
means for locating one or more display strings within a management definition data file;
means for copying each of the display strings from the management definition data file;
means for determining an identifier for each of the display strings;
means for writing the identifiers and the corresponding display strings to a translation template; and
means for writing the identifier to the management definition data file.
16. (Original) The computer program product as described in claim 15 further comprising:
means for translating the display strings written to the translation template to one or more national languages; and

means for generating runtime files, the runtime files
including the translated display strings.

17. (Original) The computer program product as described in claim 16 further comprising:
means for selecting a language from the one or more
national languages;
means for invoking at least one of the runtime files; and
means for displaying the translated display strings
corresponding to the selected language in response to
the invoking.
18. (Original) The computer program product as described in claim 16 further comprising:
means for reading a plug-in code file, wherein the plug-in
code file is adapted to interface with a management
console;
means for creating a resource bundle in response to
determining that the management console supports
resource bundles; and
means for writing translated display strings for a
plurality of national languages to the resource
bundle.
19. (Original) The computer program product as described in claim 16 further comprising:
means for reading a plug-in code file, wherein the plug-in
code file is adapted to interface with a management
console;

means for creating a plurality of runtime files, each of the runtime files corresponding to one of the national languages; and

means for writing the translated display strings for each national language to one of the runtime files.

20. (Original) The computer program product as described in claim 15 wherein the management definition data file includes a common information model managed object format file.
21. (Original) The computer program product as described in claim 15 wherein at least one of the display strings is selected from the group consisting of a qualifier value, a display panel object, an element name, a menu item name, and a tree node name.
22. (Original) A method of translating strings included in management definition data, said method comprising:
locating one or more display strings within a management definition data file;
copying each of the display strings from the management definition data file;
determining an identifier for each of the display strings;
writing the identifiers and the corresponding display strings to a translation template;
writing the identifier to the management definition data file;
translating the display strings written to the translation template to one or more national languages; and

generating runtime files, the runtime files including the translated display strings.

23. (Original) A method of translating strings included in management definition data, said method comprising:
locating one or more display strings within a management definition data file, wherein the management definition data file includes a common information model managed object format file;
copying each of the display strings from the management definition data file;
determining an identifier for each of the display strings;
writing the identifiers and the corresponding display strings to a translation template;
writing the identifier to the management definition data file;
translating the display strings written to the translation template to one or more national languages;
generating runtime files, the runtime files including the translated display strings;
selecting a language from the one or more national languages;
invoking at least one of the runtime files; and
displaying the translated display strings corresponding to the selected language in response to the invoking.
24. (Original) An information handling system comprising:
one or more processors;
a memory accessible by the processors;

a nonvolatile storage area accessible by the processors;
and
a translation tool for translating strings from a management definition file stored on the nonvolatile storage device, the translation tool including:
search logic for locating one or more display strings within the management definition file;
transfer logic for copying each of the display strings from the management definition file;
identifier generation logic for determining an identifier for each of the display strings;
output logic for writing the identifiers and the corresponding display strings to a translation template;
output logic for writing the identifier to the management definition data file;
translation logic for translating the display strings written to the translation template to one or more national languages; and
file generation logic for generating runtime files, the runtime files including the translated display strings.

25. (Original) A computer program product stored on a computer operable medium for translating strings included in management definition data, said computer program product comprising:
means for locating one or more display strings within a management definition data file;

means for copying each of the display strings from the management definition data file;

means for determining an identifier for each of the display strings;

means for writing the identifiers and the corresponding display strings to a translation template;

means for writing the identifier to the management definition data file;

means for translating the display strings written to the translation template to one or more national languages; and

means for generating runtime files, the runtime files including the translated display strings.